### **Accessories**

### Reflectors

Triple reflectors are best suited for the purpose of reflecting light in light barrier systems. Reflective films are only used as a second choice alternative. Triple reflectors are designed as small, pyramid-shaped triple mirrors, joined to provide a reflection surface. Three pyramid-shaped mirror surfaces joined at 90° reflect the incident light three times on one mirror surface. They reflect the light beam by 180° back in the source direction. Vibration, slight movement and displacement up to 30° with respect to the optical axis of the triple reflector do not interrupt the light beam.


A reflective film can also be tilted or displaced. In this case, in contrast to the triple reflector, the degree of reflection diminishes considerably as such films use small mirrors together with micro glass pearls to reflect light. An advantage of reflective film, however, is its flexibility in installation. Although its reflection quality can be improved by means of a triple structure in the film, it still does not match the degree of reflection achieved by a triple reflector. In general, a plane mirror must not be displaced. The angle of incidence of the light beam directed at such mirrors must precisely correspond to the angle of reflection about the optical axis to ensure effective reflection in the light barrier receiver (optoelectric sensor).


The specified ranges of the reflection light barriers refer to the RTS-083 KK and RTS-060 KK reflector. Essentially, the size of the reflector should be selected according to the sensing range and the size of the object to be detected. The object should ideally be larger than the reflector so that it completely covers the reflector.

#### Example: OR20RS


Reflector	Range
RTS-D33 KK	4.0 m
RTS-D83 KK	8.0 m
RTS-60 KK	8.0 m
RFS-100 KK	6.0 m


Ranges of other reflection light barriers available on request.





Type designation	RTS-D33 KK	RTS-D83 KK
Article number	6572110010	6572107003
Diameter	33 mm	83 mm







Type designation	RTS-60 KK	RFS-100 KK
Article number	6572100007	6572300001
Structure	60 x 41 mm	100 x 100 mm Self-adhesive film




## **Mounting Material**


Other mounting brackets available on request.





Type designation	BWN-L05ST KPL	BWN-L20NI KPL	
Article number	6571300003	6571200002	





Type designation	BWN-L20NI KPL	BWN-L12AL KPL	
Article number	6571200007	6571500006	

### **Accessories**

# **Mounting Brackets**





